

# SUPER FOAM AUTO

## DESCRIPTION

SUPER FOAM AUTO is a universal and unique foam cleaner. Based on an effective mix of alcohol-solvents, ammonia and anionic surfactants.

Ideal for use on all surfaces inside and outside vehicles.

## PROPERTIES

- Quickly and efficiently cleanses glass and other hard surfaces from insects, fat, tar, grease stains, nicotine, soot, asphalt, dirt, etc.
- Easy to work – leaves an absolute clean surface without rainbow effects
- Doesn't contain any abrasives
- The foam-property prevents running, allowing long operating time.
- Included in the Green World product series
- Green Propellant - Certified bioLPG propellant with CO2 reduction up to 90%, naturally produced via organic waste
- A VEIDEC product is to be considered "Readily Biodegradable" when at least 99% of its constituent substances has the natural ability to fully biodegrade in a set timeframe, tested in accordance with set standards. Super Foam Auto is 99,9% Readily Biodegradable!

## FIELD OF APPLICATION

- Can be used on different materials, like: glass, synthetic materials, vinyl, porcelain, metals, etc.
- To substances not removable by using acidic or alkaline cleaning agents.
- Excellent for windscreens, windows, grilles, spoilers, mirrors, headlights etc.
- Is also great for cleaning off soft materials such as textile, carpets, inside car, etc.

## USER INSTRUCTIONS

Shake well and apply evenly and in thin layers. Allow to act 20-60 seconds and use Micro Max cloth or paper to wipe clean.

- Non-porous surface: Shake can before use, spray Super Foam Auto on dirty surface, wait 20-30 sec and dry with a Micro Glass or Micro Max cloth.
- Porous surface: Shake can before use, spray Super Foam Auto on surface, wait 30-60 sec and dry with a Micro Glass, Micro Max cloth or clean absorbing paper. It might be useful to sponge up preferably with hot water.



SUPER FOAM AUTO – SFA – 289

Art.no. 25204

Signature: JH

Date: 2024-11-15

This document is the property of VEIDEC AB and is not to be forwarded to third persons without our agreement. The product information has been made out according to our experiences; the corresponding distributing company must point out probable characteristics as to the use of the product as the application fields are often very different. The recommendations as to technical use are not binding and do not justify any contractual relationship and subsidiary obligations under the contract of purchase. They especially do not relieve the buyer from testing our product on his own as to the suitability for the designated field of application.

# SUPER FOAM AUTO

## TECHNICAL DETAILS

<b>Packaging:</b>	300 ml alu can aerosol: Art.no: 25204
<b>Color:</b>	White foam
<b>Odor:</b>	Lemon
<b>Propellant:</b>	Propane/Butane
<b>Solvent:</b>	Alcohol mixture and ammonia
<b>Surfactants:</b>	Anionic
<b>pH value:</b>	10,4
<b>Application &amp; Surface temperature:</b>	+5°C to +30°C
<b>Density (20°C):</b>	0,92 g/cm <sup>3</sup>
<b>VOC (directive 2010/75 EG):</b>	14,6 % (134,5g/l)
<b>Shelf life (temp.+5°C to +25 °C):</b>	24 months. Avoid temp. under 0°C
<b>Readily biodegradable content:</b>	99,9 %
<b>Accessories:</b>	Micro Max: Art.no: 25110 Micro Max Glass: Art.no: 25112 Micro Max Gloss: Art.no: 25113 Micro Max Large: Art.no: 25116
<b>Miscellaneous:</b>	In compliance with the legal regulations, please see current Material Safety Data Sheet. <a href="https://veidec.com/en/msds">https://veidec.com/en/msds</a>
<b>User instructions:</b>	Scan the QR-code for MSDS, video and other information.



## VEIDEC FEATURES



GREEN WORLD VEIDEC's product series with focus on the environment and health as well as quality.



READILY BIODEGRADABLE  
99,9% of the liquid is readily biodegradable.



GREEN PROPELLANT  
With lower carbon dioxide net emission.



Shake well before use.

## CERTIFICATES & REGISTRATIONS



Registered at NSF, products meeting the criteria for use in or around food-processing areas: category A1 [VEIDEC NSF listing](#)



Evaluated by Sunda Hus: B



Registered at BASTA: BASTA



Evaluated by Byggarubedömningen: Accepted

SUPER FOAM AUTO – SFA – 289

Art.no. 25204

Signature: JH

Date: 2024-11-15

*This document is the property of VEIDEC AB and is not to be forwarded to third persons without our agreement. The product information has been made out according to our experiences; the corresponding distributing company must point out probable characteristics as to the use of the product as the application fields are often very different. The recommendations as to technical use are not binding and do not justify any contractual relationship and subsidiary obligations under the contract of purchase. They especially do not relieve the buyer from testing our product on his own as to the suitability for the designated field of application.*